



DRL BİJON® **WHEEL BOLT**

Durallar Bijon Somun İml. San. ve Tic.

**Bijon ve Somun
Kataloğu**

Wheel Bolt & Nut
Catalogue





1985 yılında Drl Bijon, somun imalat ve pazarlama sanayi ismi altında faaliyete başlayan firmamız sektördeki boşluğu doldurmak amacıyla 1995 yılında seri üretime geçerek tüm yurt içi ve yurt dışı genelinde ürünlerini pazarlamaya başlamıştır.

Her geçen gün başarı grafiğini sürekli yükselten firmamız dünya standartlarında üretim yapmak için makina parkını da son teknoloji cnc tezgahları ile donatarak otomotiv sektöründeki tüm gruba hitap eden bijon somun ve tüm aksamaları üretilmektedir.

Üretim hattında 1500 adet üzerinde farklı bijon ve somun çeşitlerine sahip olup müşterilerin özel istekleri doğrultusunda imalat yapmaktadır.

Halen ürünlerimiz dünyada pek çok ülkedeki müşterilerimize ihraç edilmektedir, üretimin her aşamasında alanında uzman bir kadrosu ile T.S.E. kalite standartlarını uygulayan firmamız sadece satış öncesi değil satış sonrasında her zaman müşterilerin yanında olmuştur.

Our company which started to operate under the name of Drl Bijon, nut manufacturing and marketing industry in 1985, started to mass production in 1995 in order to fill the gap in the sector and started to market its products all over the country and abroad.

Our company, which continuously raises the success chart every day, equips the machine park with world-class cnc machines to make world-class production.
It is produced.

It has over 1500 different studs and nuts in the production line and makes production according to the special requests of the customers.

At present, our products are exported to our customers in many countries around the world, T.S.E. Our company is applying quality standards not only before sales but also after sales has always been on its side.



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MERCEDES

MB-42 2530



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
77	38	22x1.5	10.9
Org. No		305 401 00 71 / 381 401 0171 S1 389 401 00 71 S1 / 327 401 02 71	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		302	

MB-42 2531



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
92	40	22x1.5	10.9
Org. No		3274020471 / 3174020571 / 3814010371	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		302	

MB-42 2532



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
92	40	22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		302	

MB-42 2533



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
67	40	22x1.5	10.9
Org. No		338 401 50 71	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		0 403	

MB-42 2534



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
82	40	22x1.5	10.9
Org. No		389 401 00 71	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		0 403	

MB-42 2535



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
77	39	20x1.5	10.9
Org. No		3894010071	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0330 SOM-42 0130	
Model		352	



MB-42 2536



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
89	43	20x1.5	10.9
Org. No	327 402 03 71		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0330 SOM-42 130		
Model	352		

MB-42 2537



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
84	38	22x1.5	10.9
Org. No	3814011271		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0342 SOM-42 0141		
Model	2517-2521-2524-2622-0305		

MB-42 2538



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
84	38	22x1.5	10.9
Org. No			
Pozisyon/ Position	FREZELİ / FRAISED		
Somun / Wheel Nut	SOM-42 0342 SOM-42 0141		
Model	2517-2521-2524-2622-0305 0 307 - 0 405		

MB-42 2539



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	40	22x1.5	10.9
Org. No	3814010771		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0342 SOM-42 0141		
Model	2517-2521-2524-2622		

MB-42 2540



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	40	22x1.5	10.9
Org. No			
Pozisyon/ Position	FREZELİ / FRAISED		
Somun / Wheel Nut	SOM-42 0342 SOM-42 0141		
Model	2517-2521-2524-2622 NG SK		

MB-42 2541



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
128	45	22x1.5	10.9
Org. No	381 401 1471		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0342 SOM-42 0141		
Model	2517-2521-ACTROS-ATEGO-AX-OR-CITARO-CONECTO - ECONIC-0305-0303-SK-UNIMOG-VARIO		



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MERCEDES

MB-42 2542



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
128	45	22x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		2517-2521	

MB-42 2543



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	40	22x1.5	10.9
Org. No		381 401 0571 - 381 401 0471 381 401 1171	
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0341 SOM-42 0141	
Model		2517-2521-2524-2622-0 307 0 405 - V6 - V8 - 0 303	

MB-42 2544



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	40	22x1.5	10.9
Org. No			
Poziyon/ Position		FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		2517-2521-2524-2622-V6-V8 0303	

MB-42 2545



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
77	38	22x1.5	10.9
Org. No		305 401 0071 / 381 401 0171 317 401 0371 / 327 401 0471	
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0341 SOM-42 0141	
Model		2517-2521-2524-2622 -V6-V8- 0303	

MB-42 2546



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
105	40	22x1.5	10.9
Org. No		381 401 0671 - 355 401 0071	
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		2517-2521-2524-2622-0 305- 0 307 - 0 405	

MB-42 2547



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
105	40	22x1.5	10.9
Org. No			
Poziyon/ Position		FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0341 SOM-42 0141	
Model		2517-2521-2524-2622-0 305 0 307 - 0 405	



MB-42 2548



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
70	42	22x1.5	10.9
Org. No	942 401 02 71		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0140		
Model	AXOR - ACTROS - ATEGO - ECONIC TRAVEGO		

MB-42 2549



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
92	60	22x1.5	10.9
Org. No	942 401 03 71		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	AXOR - ACTROS -TRAVEGO		

MB-42 2550



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	78	22x1.5	10.9
Org. No	381 401 01 71		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	AXOR - ACTROS		

MB-42 2551



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	55	22x1.5	10.9
Org. No	3894010071		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0140		
Model	AXOR - ACTROS		

MB-42 2552



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	50	22x1.5	10.9
Org. No			
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0140		
Model	ACTROS - AXOR		

MB-42 2553



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
70	42.5	22x1.5	10.9
Org. No	0004012371		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0140		
Model	AXOR - ACTROS - TRAVEGO Y.M.		



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MERCEDES

MB-42 2554



DRL
10.9

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
92	56	22x1.5	10.9
Org. No		0004014171	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		AXOR - ACTROS TRAVEGO Y.M.	

MB-42 2555



DRL
10.9

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	76	22x1.5	10.9
Org. No		0004013771	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0140	
Model		AXOR - ACTROS Y.M.	

MB-42 2556



DRL
10.9

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
80	49	22x1.5	10.9
Org. No		0004012471	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		AXOR - ACTROS - Y.M.	

MB-42 2557



DRL
10.9

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	51	22x1.5	10.9
Org. No		0004012971	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		AXOR - ACTROS - TRAVEGO Y.M.	

MB-42 2558



DRL
10.9

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
66	38	20x1.5	10.9
Org. No		327 401 00 71 / 312 401 11 71 / 318 402 02 71	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0130	
Model		ATEGO 1517	

MB-42 2559



DRL
10.9

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
76	43	20x1.5	10.9
Org. No		352 402 00 71	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0130	
Model		ATEGO 1517	

**MB-42 2560**

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	45	22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0130	
Model		ATEGO 1517	

MB-42 2561

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
77	38	22x1.5	10.9
Org. No			
Pozisyon/ Position		FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		2517-2521-2524-2622-V8 - V6 - 0303	

MB-42 2562

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
115	40	22x1.5	10.9
Org. No		381 401 0871	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		2517-2521-2524-2622	

MB-42 2563

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
95	40	22x1.5	10.9
Org. No		381 401 1171	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model		2517-2521-2524	

MB-42 2564

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
95	40	22x1.5	10.9
Org. No		381 401 1371	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 SOM-42 0141	
Model			

MB-42 2565

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	50	22x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model		457	



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MERCEDES

MB-42 2566



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
98	50	22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		457	

MB-42 2567



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
73	38	18x1.5	10.9
Org. No		371 401 70 71	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0320	
Model		MB 800	

MB-42 2568



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
86	50	18x1.5	10.9
Org. No		371 402 70 71	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0320	
Model		MB 800	

MB-42 2569



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
50	30	14x1.5	10.9
Org. No		3094010271	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0115	
Model		SPRINTER	

MB-42 2570



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
60	32	14x1.5	10.9
Org. No		3094020271	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0115	
Model		SPRINTER	

MB-42 2571



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
63	38	2 2x1.5	10.9
Org. No		BQ297638	
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0140	
Model		BLUMAQ	



MB-42 2572



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
75	44	22x1.5	10.9
Org. No		BQ297636	
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0140	
Model		BLUMAQ	

MB-42 2573



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
70	41	22x1.5	10.9
Org. No		BQ297637	
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0140	
Model		BLUMAQ	

MB-42 2574



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	45	22x1.5	10.9
Org. No		BQ297639	
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0140	
Model		BLUMAQ	

MB-42 2575



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	22x1.5	10.9
Org. No		BQ304486	
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0140	
Model		BLUMAQ	

MB-42 2576



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
92	50	22x1.5	10.9
Org. No		BQ3152659	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model			

MB-42 2577



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	50	22x1.5	10.9
Org. No		BQ103236486	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		BLUMAQ	





DRL BİJON®

WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MAN

MN-42 3150



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
77	38	22x1.5	10.9
Org. No		81 45501 0134 / 81 45501 0076	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3151



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
77	38	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3152



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	40	22x1.5	10.9
Org. No		81 45501 0080 / 81 45501 0072 / 81 45501 0059 / 81 45501 0139	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3153



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	40	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3154



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	M22x1.5	10.9
Org. No		81 45501 0085	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3155



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3156




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	40	M22x1.5	10.9
Org. No		81 45501 0082 / 81 45501 01 41 / 81 45501 0067	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 / F90	

MN-42 3157




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	40	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear FREZELİ / FRAISED	
Somun / Wheel Nut		SOM-42 0342 - SOM-42 0141	
Model		F2000 - F90	

MN-42 3158




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
65	30	M22x1.5	10.9
Org. No		81 45501 0132	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0144 - SOM-42 0140	
Model		FORTUNA	

MN-42 3159



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
78	55	M22x1.5	10.9
Org. No		81 45501 0765	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0145 - SOM-42 0140	
Model		FORTUNA	

MN-42 3160



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
78	55	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		TGA	

MN-42 3161



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	38	M22x1.5	10.9
Org. No		81 45501 0176	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		TGA	



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MAN

MN-42 3162



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
65	36	M22x1.5	10.9
Org. No	81 45501 29		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0140		
Model	NEOPLAN		

MN-42 3163



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
79	50	M22x1.5	10.9
Org. No	85 45501 0174		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0140		
Model	T.G.S. TGA		

MN-42 3164



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	41	M22x1.5	10.9
Org. No	81 45501 0176		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	T.G.S. TGA		

MN-42 3165



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
78	45	M22x1.5	10.9
Org. No			
Pozisyon/ Position	Ön / Front FREZELİ / FRAISED		
Somun / Wheel Nut	SOM-42 0140		
Model	TGA		


MN-42 3166



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
58	38	M18x1.5	10.9
Org. No	81 45501 0116		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0120		
Model	12.153		

MN-42 3167



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
73	36	M18x1.5	10.9
Org. No	81 45501 0123		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0120		
Model	13.153		



MN-42 3168



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	45	M20x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0130	
Model		12.153	

MN-42 3169



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
65	38	M18x2	10.9
Org. No		612112451	
Pozisyon/ Position		--	
Somun / Wheel Nut		SOM-42 0322	
Model			

MN-42 3170



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M18x2	10.9
Org. No		81 45422 0009 / 81454220040 / 3044020270 / 3154020070 / 3874010270 / 0140962 / 0228634	
Pozisyon/ Position		--	
Somun / Wheel Nut		SOM-42 0322	
Model			

MN-42 3171



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
125	50	M18x2	10.9
Org. No		659112456 / 81454220023 / 81454220037 / 3154020170 / 3464025070 / 0250702100 / 0250704400	
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0322	
Model			

MN-42 3172



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	50	M18x2	10.9
Org. No		659112452	
Pozisyon/ Position		--	
Somun / Wheel Nut		SOM-42 0322	
Model			

MN-42 3173



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	50	M18x2	10.9
Org. No		3154020270 / 3874020070 / 81454220036 / 81454220024 / 0250702500 / 659112454 / 0230339	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0322	
Model			




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MAN
NEOPLAN

MN-42 3174



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
140	50	M18x2	10.9
Org. No		0250702300 / 0257704500 / 81454220027 / 3874020570	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0322	
Model			

NEP-42 1102



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
66	37	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0140	
Model		NEOPLAN	

NEP-42 1103



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
83	49	M22x1.5	10.9
Org. No		70156200	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		NEOPLAN	





DRL BİJON[®] **WHEEL BOLT**

Durallar Bijon Somun İml. San. ve Tic.





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

CHRYSLER

CHR-42 5125



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	M22x1.5	10.9
Org. No	3416 T		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0241		
Model	AS 900		

CHR-42 5126



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	45	M22x1.5	10.9
Org. No	3417 T		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0241		
Model	AS 900		

CHR-42 5127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
95	40	M22x1.5	10.9
Org. No	25033 -T		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0240		
Model	AS 950		


CHR-42 5128



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
115	55	M22x1.5	10.9
Org. No	15034 - T		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0242		
Model	AS 950		

CHR-42 5129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	W3/4"x10	10.9
Org. No			
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0430		
Model	DODGE SAPLAMASI		

CHR-42 5130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
95	40	22x1.5	10.9
Org. No	15033 T		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model	AS 26 200 - AS 26 235 - AS 32 260		

CHR-42 5131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
123	45	M22x1.5	10.9
Org. No	15034 T		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	AS 26 200 - AS 26 235 - AS 32 260		

CHR-42 5132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	45	M22x1.5	10.9
Org. No	21022167		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	AS 26 200 - AS 26 235 - AS 32 260		

FT-42 4125-L-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
70	40	W7/8"x14	10.9
Org. No			
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0270-L-R		
Model	105.8		

FT-42 4126-L-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	50	W7/8"x14	10.9
Org. No			
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0270-L-R		
Model	105.8		

FT-42 4127-L-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
77	40	W7/8"x14	10.9
Org. No	K5C 2150 / K5C 1051		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0270-L-R		
Model	162.25		

FT-42 4128-L-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	55	W7/8"x14	10.9
Org. No	K5C 2150 / K5C2151		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0271-L-R		
Model	162.25		



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

BMC

FT-42 4129-L-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	55	W7/8"x14	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0271-L-R	
Model			


FT-42 4130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
102	40	M22x1.5	10.9
Org. No		7K 60 192	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0143	
Model		200.26 220.26 PROFESYONEL	

FT-42 4131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
117	45	M22x1.5	10.9
Org. No		7K 60177	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0143	
Model		200.26 - 220.26 PROFESSIONAL	

FT-42 4132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
117	45	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0143	
Model		200.26 - 220.26 - PROFESSIONAL	

FT-42 4133



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
117	45	M24x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0160	
Model		200.26 - 220.26 PROFESSIONAL	

FT-42 4134



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
132	45	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0143	
Model		220.26 - 270 - PROFESSIONAL	

VL-42 9127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
125	50	M20x2	10.9
Org. No		659 112 503	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0333	
Model			

VL-42 9128



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
115	52	M20x2	10.9
Org. No		0250703700 / 0250703200 / 814542260 S1 / 6204010170 / 0289535 / 1608293 / 659112612	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0333	
Model			

VL-42 9129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
57	30	M20x2	10.9
Org. No		0250708900 / 6204010070 / 0338883 / 1588406 / 659112616	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0333	
Model			

VL-42 9130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
130	52	M20x2	10.9
Org. No		659112613 / 0250708700 / 0250704300	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0333	
Model			

VL-42 9131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	W7/8"x14	10.9
Org. No		1573081	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0180 - SOM-42 0179	
Model		VOLVO FH	

VL-42 9132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
102	45	W7/8"x14	10.9
Org. No		1573082	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0180 - SOM-42 0179	
Model		VOLVO FH	



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

VOLVO

VL-42 9133



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	39	W7/8"x14	10.9
Org. No		157308311589010	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut			
Model		SOM-42 0180 - SOM-42 0179	

VL-42 9134



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
117	45	W7/8"x14	10.9
Org. No		1589008-8	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut			
Model		SOM-42 0180 - SOM-42 0179	

VL-42 9135



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
94	41	W7/8"x14	10.9
Org. No		3963997	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0180 - SOM-42 0179	
Model			

VL-42 9136



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
77	39	W7/8"x14	10.9
Org. No		31125931 3118981	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0180 - SOM-42 0179	
Model		F10 F10/260;F10 / 280 / 300 / 320	

VL-42 9137



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
88	60	M22x1.5	10.9
Org. No		20515515	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model		FM	

VL-42 9138



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
105	77	M22x1.5	10.9
Org. No		20515519	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		FM	

VL-42 9139



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
114	86	M22x1.5	10.9
Org. No	20524942		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	FM		

VL-42 9140



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
65	38	M20x2	10.9
Org. No	659112500 / 3174020170 / 34640115270 / 6244010270 / 0293493/ 362164 / 0250700		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0333		
Model			

VL-42 9141



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M20x2	10.9
Org. No	659 112 501		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0333		
Model			

VL-42 9142



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
145	50	M20x2	10.9
Org. No	659 112 614		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0333		
Model			

VL-42 9143



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	50	M20x2	10.9
Org. No	659112509 / 3954010070 / 814542246		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0333		
Model			

VL-42 9144



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	50	M20x2	10.9
Org. No	659112611 / 272740 / 0250708600 / 0288799		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0333		
Model			




DRL BİJON® **WHEEL BOLT**

Durallar Bijon Somun İml. San. ve Tic.



IVC-42 7125



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
56	35	M18x1.5	10.9
Org. No	7168346		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0220		
Model	50 NC		

IVC-42 7126



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
64	35	M18x1.5	10.9
Org. No	7168257 / 042117463		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0220		
Model	50 NC		

IVC-42 7127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
64	35	M18x1.5	10.9
Org. No			
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0220		
Model	50 NC		

IVC-42 7128




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
74	40	M18x1.5	10.9
Org. No	7168333		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0220		
Model	50 NC		

IVC-42 7129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
70.5	40	M20x1.5	10.9
Org. No	42117433		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0131		
Model	EUROBUS		

IVC-42 7130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
75.5	40	M20x1.5	10.9
Org. No	4206 4829		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0131		
Model	EUROBUS		



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

IVECO

IVC-42 7131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
120	40	M22x1.5	10.9
Org. No	4211 7457		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	EUROTECH		

IVC-42 7132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	40	M22x1.5	10.9
Org. No	42117455 / 02477764		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	TURBOSTAR 190,36 - 190,40		

IVC-42 7133



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
115	38	M22x1.5	10.9
Org. No	4211 7456		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0141		
Model			

IVC-42 7134



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
135	38	M22x1.5	10.9
Org. No	4211 7461		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0141		
Model			

IVC-42 7135



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	M22x1.5	10.9
Org. No	4211 7449 / 7168580 / 02476077 / 421 01338		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model	TURBOSTAR / TURBO		

IVC-42 7136



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
95	40	M22x1.5	10.9
Org. No	4211 7452 /		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model	EUROTECH ; EUTOSTAR ; TRAKKER		

IVC-42 7137



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
65	38	M22x1.5	10.9
Org. No	4211 7445		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0140		
Model			

IVC-42 7138



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
75	38	M22x1.5	10.9
Org. No	4211 7447		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0140		
Model			

IVC-42 7139



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	38	M22x1.5	10.9
Org. No	4211 7453 / 2476077 / 7168465		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0141		
Model	EUROTECH ; EUTOSTAR; TRAKKER		

IVC-42 7140



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
105	38	M22x1.5	10.9
Org. No	4211 7454		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0141		
Model			

IVC-42 7141



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
130	40	M22x1.5	10.9
Org. No	42117459		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			

IVC-42 7142



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
60	38	M22x1.5	10.9
Org. No	4211 7444		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0140		
Model			



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

IVECO

IVC-42 7143



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
70	38	M22x1.5	10.9
Org. No	4211 7446		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0140		
Model			

IVC-42 7144



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
79	40	M22x1.5	10.9
Org. No	4211 7448		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0141		
Model			


IVC-42 7145



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
65	35	M18x1.5	10.9
Org. No	7168257 / 42117463 / 40390478		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0120		
Model	EURO CARGO		

IVC-42 7146



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
60	38	M22x1.5	10.9
Org. No	4211 7444		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0140		
Model			

IVC-42 7147



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
130	40	M22x1.5	10.9
Org. No	4211 7459		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			





DRL BİJON®

WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

SCANIA

SCN-42 8125



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
80	58	W7/8"x11	10.9
Org. No	337559 / 1368692		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0170		
Model			

SCN-42 8126



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	78	W7/8"x11	10.9
Org. No	0272853		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0170		
Model			

SCN-42 8127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	62	W7/8"x11	10.9
Org. No	1368693		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0170		
Model			

SCN-42 8128



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
73	50	W7/8"x11	10.9
Org. No	1868665		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0170		
Model			


SCN-42 8129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
86	61	W7/8"x11	10.9
Org. No	1528712		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0170		
Model			

SCN-42 8130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
70	49	W7/8"x11	10.9
Org. No	290062 / 397266 / 1368690		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0170		
Model	Disk / For Disc		

SCANIA



DRL BİJON®
WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

SCN-42 8131




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
96	67	W7/8"x11	10.9
Org. No		1868668	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0170	
Model			

SCN-42 8132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
102	70	W7/8"x11	10.9
Org. No		1528655	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0170	
Model			





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

BPW


DRS-42 30148



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
90	40	M22x1.5	10.9
Org. No			
Poziyon/ Position		--	
Somun / Wheel Nut		SOM-42 0141	
Model		PİLOT	

DRS-42 30149



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	28-42	M22x2	10.9
Org. No			
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0451 / SOM-42 0150	
Model			

DRS-42 30150



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
128	32-50	M22x2	10.9
Org. No		0329613170	
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0452 / SOM-42 0250	
Model			

DRS-42 30151



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
128	34-50	M22x2	10.9
Org. No			
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0452 / SOM-42 0250	
Model			


DRS-42 30152



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
105	28-38	M22x2 M22x1.5	10.9
Org. No		03.296.23.150	
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0451 / SOM-42 0140	
Model			

DRS-42 30153



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
114	28-51	M22x2 M22x1.5	10.9
Org. No		03.296.23.170 / 8241000989 09.806.13.02.0	
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0451 / SOM-42 141	
Model			



DRS-42 30154



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	38.5	M22x1.5	10.9
Org. No	03.296.33.110		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model			

DRS-42 30155




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
88.5	42.5	M22x1.5	10.9
Org. No	03.296.33.111		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30156




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
97	55	M22x1.5	10.9
Org. No	03.296.33.121		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30157




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	28-42	M22x2	10.9
Org. No	0329613090		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0451 / SOM-42 0251		
Model			

DRS-42 30158



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
108	28-44	M22x2	10.9
Org. No	098061302		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0451 / SOM-42 0251		
Model			

DRS-42 30159



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
106	28-44	M20x1.5 M22x1.5	10.9
Org. No	03.296.13.070		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 036 / SOM-42 0241		
Model			



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

BPW


DRS-42 30160



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
110	28-46	M22x1.5 M22x2	10.9
Org. No	03.296.13.060		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0451 / SOM-42 0241		
Model			


DRS-42 30161



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
97	26-37	M22x2	10.9
Org. No	03.296.23.050		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0451 / SOM-42 0150		
Model			

DRS-42 30162



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
128	28-38	M22x2 M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0451 / SOM-42 0441		
Model			

DRS-42 30163



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
116	34-47	M22x2	10.9
Org. No	03.296.13.110		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0451 / SOM-42 0251		
Model			



DRL BİJON®

WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

ROR

DRS-42 30164



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
98	48.5	M22x1.5	10.9
Org. No	21020977 / 21020997		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30165



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
94	46	W7/8"x11	10.9
Org. No	21018491		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0170-L		
Model			

DRS-42 30166



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
94	46	W7/8"x11	10.9
Org. No	210 184 90		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0170		
Model			

DRS-42 30167



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	50	M22x1.5	10.9
Org. No	21022167		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30168



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
80	45	M22x1.5	10.9
Org. No	21220132		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model	ROR		

DRS-42 30169



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
73	46.5	M22x1.5	10.9
Org. No	1 303 1118 10		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model			



DRS-42 30170



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
83	46.5	M22x1.5	10.9
Org. No	1303 10 74 12		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30171



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
93	51.5	M22x1.5	10.9
Org. No	1 303 10 75 12		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30172



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
83	38	M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			

DRS-42 30173



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
79	52	M22x1.5	10.9
Org. No	1303112010		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model			

DRS-42 30174



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
65.5	39	M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model			

DRS-42 30175



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
68	38	M22x1.5	10.9
Org. No	1 303 118 11		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model			




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

**SAF
FRUEHAUF**

DRS-42 30176



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
111	23-50	M22x1.5	10.9
Org. No	1 303 10 40 11 / 1 303 1049 10 / 1 303 1040 10		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model	SAF		

DRS-42 30177



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
80	38	M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model			


DRS-42 30178



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
75	50	M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model	SAF DORSE		

DRS-42 30179



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
76	33	M22x1.5	10.9
Org. No	A20630 / M003133		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0140		
Model	FRUEHAUF		


DRS-42 30180



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
106	39	M22x1.5	10.9
Org. No	A-FA0230		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0241		
Model	FRUEHAUF		

DRS-42 30181



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
90	39	M22x1.5	10.9
Org. No	A15613 / M006891		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0241		
Model	FRUEHAUF		

DRS-42 30182



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		OSMAN KOÇ - ÖZKOÇ - CEYLAN - SERTEL	

DRS-42 30183



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		OSMAN KOÇ - ÖZKOÇ - CEYLAN - SERTEL	

DRS-42 30184



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0241	
Model		OSMAN KOÇ - ÖZKOÇ - CEYLAN - SERTEL	

DRS-42 30185



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0241	
Model		OSMAN KOÇ - ÖZKOÇ - CEYLAN - SERTEL	

DRS-42 30186



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	50	M22x2	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0241	
Model		DORSE	





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

TIR DORSE

DRS-42 30187



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	43	M22x2	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		PİLOT	

DRS-42 30188



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
75	43	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		PİLOT	

DRS-42 30189



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
70	47	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		ÖZKOÇ - SERTEL	

DRS-42 30190



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
90	43	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		PİLOT	

DRS-42 30191



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
90	43	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		SERİN - AYDIN	

DRS-42 30192



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	43	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		SERİN - AYDIN	

DRS-42 30193



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	47	M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0141	
Model		SERTEL - ÖZKOÇ	

DRS-42 30194



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	50	M22x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut		SOM-42 0141	
Model		SERTEL - ÖZKOÇ	

DRS-42 30195



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
110	47	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		ÖZKOÇ - SERTEL	

DRS-42 30196



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
73	41	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0140	
Model		SERİN - AYDIN	

DRS-42 30197



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
107	43	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		SERİN - AYDIN	





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

YTE - EFE
TRAKTÖR

DRS-42 30198



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
90	42	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		YTE	

DRS-42 30199



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	42	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		EFE	


DRS-42 30200



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	39	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		EFE	


TRM-42 0215



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
60	33	M18x1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut			
Model		HEMA	


TRM-42 0216



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
65	40	M20x1.5	10.9
Org. No		31796200	
Pozisyon/ Position			
Somun / Wheel Nut			
Model		HEMA	


TRM-42 0217



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	ØB (mm)	C (mm)	D (mm)	Kalite / Quality
56.5		40.5	W3/4"x16	10.9
Org. No		31796200		
Pozisyon/ Position				
Somun / Wheel Nut		SOM-0310		
Model		RÖMÖRK BİJONU		


DF-42 10129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
120	28 - 38	M22x2	10.9
Org. No	259931		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0452 / SOM-42 0455		
Model			

DF-42 10130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	46	M22x1.5	10.9
Org. No	620646 / 1309191 / 0099730		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model			

DF-42 10131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
104	45	M22x1.5	10.9
Org. No	620649 / 1308038		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			


DF-42 10132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	46	M22x1.5	10.9
Org. No	1309101		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0140		
Model			

DF-42 10133



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
72.5	51	M22x1.5	10.9
Org. No	1337020		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0140		
Model			

DF-42 10134



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
93	46	M22x1.5	10.9
Org. No	99731 / 1309190 / 890763		
Pozisyon/ Position			
Somun / Wheel Nut	SOM-42 0141		
Model			



DRL BİJON®

WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.



FRD-42 6125



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
118	25 - 45	W3/4"16 - 22x1.5	10.9
Org. No	81 DB - 118 CA		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0310 / SOM-42 0141		
Model	2517 - 2520 CARGO		

FRD-42 6126




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
128	25-45	W3/4"16-M22x1.5	10.9
Org. No	92 CT - 111 8AA		
Pozisyon/ Position	--		
Somun / Wheel Nut	SOM-42 0310 / SOM-42 0141		
Model	2621-2626 CARGO INTERCOLER		

FRD-42 6127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
84	38	M22x1.5	10.9
Org. No			
Pozisyon/ Position	Öm / Front		
Somun / Wheel Nut	SOM-42 0140		
Model	2517-2520-3220 CARGO INTERCOLER		

FRD-42 6128



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
105	48	M22x1.5	10.9
Org. No			
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	2621 - 2626 3227		

FRD-42 6129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
88	60	M22x1.5	10.9
Org. No	20515515		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model	3430 CARGO		

FRD-42 6130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
105	82	M22x1.5	10.9
Org. No	205 155 19		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model	3430 CARGO		



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

FORD

FRD-42 6131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
	62	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model		4142 Y.M	

FRD-42 6132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
129	62	M22x1.5	10.9
Org. No		FC461118CA	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		4142 Y.M	






RN-42 20125



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
79	36	M22x1.5	10.9
Org. No		5010319141 / 0000190221	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0140	
Model			

RN-42 20126



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
97	47	M22x1.5	10.9
Org. No		190513/0000190220	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
114	45	M22x1.5	10.9
Org. No		5010241892	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		MAGNUM	

RN-42 20128



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
70	35	M22x1.5	10.9
Org. No		5000737601	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0140	
Model			

RN-42 20129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
97	45	M22x1.5	10.9
Org. No		5010439317	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
95	38	M22x1.5	10.9
Org. No		5010566244	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

RENAULT

RN-42 20131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
79.5	50	M22x1.5	10.9
Org. No	7420515514		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model			


RN-42 20132



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
88	68	M22x1.5	10.9
Org. No	7420515515		
Pozisyon/ Position	Ön / Front		
Somun / Wheel Nut	SOM-42 0141		
Model			

RN-42 20133



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	76	M22x1.5	10.9
Org. No	7420515518		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			


RN-42 20134



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
105	82	M22x1.5	10.9
Org. No	7420515519		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			

RN-42 20135



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
97	73	M22x1.5	10.9
Org. No	7420515517		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			

RN-42 20136



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
114	47	M22x1.5	10.9
Org. No	7421147687 / 21147687		
Pozisyon/ Position	Arka / Rear		
Somun / Wheel Nut	SOM-42 0141		
Model			

RN-42 20137



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
81.5	33	M20x1.5	10.9
Org. No		5010319277	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0131	
Model		MIDLUM	

RN-42 20138



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	40	M22x1.5	10.9
Org. No		5010319709	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20139



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
133	72	M22x1.5	10.9
Org. No		5010439406	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20140



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
145	95	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20141



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
	31	M18x1.5	10.9
Org. No		5010241839	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0120	
Model			

RN-42 20142



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
92	68	M22x1.5	10.9
Org. No		7420515516	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model			




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

RENAULT

RN-42 20143



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
122	100	M22x1.5	10.9
Org. No		7420553560	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20144



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
130	41	M22x1.5	10.9
Org. No		7420489851	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

RN-42 20145



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
50	30	M20x1.5	10.9
Org. No		5010224821	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0131	
Model			

RN-42 20146



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
95	40	M20x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0131	
Model			

RN-42 20147



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
113	56	M22x1.5	10.9
Org. No		5010566159	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			


RN-42 20148



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION


A(mm)	C (mm)	D (mm)	Kalite / Quality
82	34	M18x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0120	
Model			

MIT-DB 12-L




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
52	33	M16X1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut		MIT-DB14-L	
Model		304 - 515	

MIT-DB 12-R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
42	33	M16X1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut		MIT-DB14-R	
Model		304 - 515	

MIT-DB 16-L




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 24	M19x1.5- 3/4"x16	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		MIT-DB23/MIT-DB21-L	
Model		444-635-835	

MIT-DB 16-R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 24	M19x1.5 3/4"x16	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		MIT-DB23/MIT-DB21-R	
Model		444-635-835	

MIT-DB 17-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	24- 30	3/4"x16 -M19x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB23/MIT-DB22-L	
Model		444 - 635 - 835	

MIT-DB 17-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	33.5-23.5	3/4"x16 -M19x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB23/MIT-DB22-R	
Model		444 - 635 - 835	




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MITSUBISHI


MIT-DB 18-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
99	24 - 36	3/4"x16 -M28x1.5	10.9
Org. No			
Poziyon/ Position			
Somun / Wheel Nut		MIT-DB23/MIT-DB22-L	
Model		444-635-835	


MIT-DB 18-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
99	24 - 36	3/4"x16 -M28x1.5	10.9
Org. No			
Poziyon/ Position			
Somun / Wheel Nut		MIT-DB23/MIT-DB22-R	
Model		444-635-835	


MIT-DB 24-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 24	3/4"x16 -M20x1.5	10.9
Org. No			
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		MIT-DB31/MIT-DB29-L	
Model		449-659-859	


MIT-DB 24-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 24	3/4"x16 -M20x1.5	10.9
Org. No			
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		MIT-DB31/MIT-DB29-R	
Model		449-659-859	


MIT-DB 25-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	24 - 30	3/4"x16 -M20x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB31/MIT-DB30-L	
Model		449-659-859	


MIT-DB 25-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION


A(mm)	C (mm)	D (mm)	Kalite / Quality
85	24 - 30	3/4"x16 -M20x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB31/MIT-DB30-R	
Model		449-659-859	

MIT-DB 26-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
103	24 - 40	3/4"x16 -M30x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB31/MIT-DB30-L	
Model		449-659-859	

MIT-DB 26-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
103	24 - 40	3/4"x16 -M30x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB31/MIT-DB30-R	
Model		449 - 659 - 859	

MIT-DB 85



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
73	46	22X1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM - 42 0140	
Model		TEMSA - SAFİR	

MIT-DB 86



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	52	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM - 42 0141	
Model		TEMSA - SAFİR	

MIT-DB 87



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
97	25-40	M24x15 / M22x1.5	10.9
Org. No		MC-808846	
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM - 42 0401 / SOM - 42 0141	
Model		MARATON	

MIT-DB 88



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
107	25-50	M24x15 / M22x1.5	10.9
Org. No		MC-808847	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM - 42 0461 / SOM - 42 0141	
Model		MARATON	




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

MITSUBISHI
ISUZU


MIT-DB 45-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
58	28	M20x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		MIT-DB29-R-L	
Model		EURO 5	


MIT-DB 46-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
64	28	M20x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		MIT-DB30-R-L / MIT-DB27-R-L	
Model		EURO 5	


ISZ-DB 01 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
48	32	M14X1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut		ISZ-DB02-L	
Model		NKR 13	


ISZ-DB 01 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
48	32	M14X1.5	10.9
Org. No			
Pozisyon/ Position			
Somun / Wheel Nut		ISZ-DB02-R	
Model		NKR 13	


ISZ-DB 02 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
75	29 - 21	M14X1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB32/ISZ-DB29-L	
Model		NKR 55	

ISZ-DB 02 R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
75	29-21	M14X1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB32/ISZ-DB29-R	
Model		NKR 55	




ISZ-DB 03 L




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	36 - 23	M18X1.5 M25x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB12/ISZ-DB11-L	
Model		NPR 59	

ISZ-DB 03 R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	36 - 23	M18x1.5 M25X1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB12/ISZ-DB11-R	
Model		NPR 59	

ISZ-DB 04 L




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	39 - 25	M18x1.5 M25x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB12/ISZ-DB11-L	
Model		NPR	

ISZ-DB 04 R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
100	39 - 25	M18x1.5 M25x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB12/ISZ-DB11-R	
Model		NPR	

ISZ-DB 05 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
94	38-23	M18X1.5 M25x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB12/ISZ-DB11-L	
Model		NPR 59 Y.M.	

ISZ-DB 05 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
93	38 - 23	M18x1.5 M25X1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB12/ISZ-DB11-R	
Model		NPR59 Y.M.	




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

ISUZU


ISZ-DB 06 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
92	29 - 24	M22X1.5 M20X1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB17/ISZ-DB15-L	
Model		NPR66 / NQR	


ISZ-DB 06 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
92	29 - 24	M22X1.5 M20x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB17/ISZ-DB15-R	
Model		NPR66 / NQR	


ISZ-DB 07 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
114	43 - 27	M22X1.5 M25x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB17/ISZ-DB16-L	
Model		NPR66 CHAMPION	


ISZ-DB 08 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
114	43 - 27	M22X1.5 M25x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB17/ISZ-DB16-R	
Model		NPR66 CHAMPION	


ISZ-DB 09 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
93	30 - 26	M22x1.5 M20x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB23/ISZ-DB22-L	
Model		NQR TURKUAZ	


ISZ-DB 09 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION


A(mm)	C (mm)	D (mm)	Kalite / Quality
93	30 - 26	M22x1.5 M20x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB23/ISZ-DB22-R	
Model		NQR TURKUAZ	

ISZ-DB 10 L




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	35 - 17	M16X1.5 M16x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB05/ISZ-DB04-L	
Model		NKR 55	

ISZ-DB 10 R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
80	35 - 17	M16X1.5 M16x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB05/ISZ-DB04-L	
Model		NKR 55	

ISZ-DB 11 L




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
78	30 - 20	M20X1.5 M18x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB36/ISZ-DB33-L	
Model		NLR	

ISZ-DB 11 R




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
78	30 - 20	M20X1.5 M18x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB36/ISZ-DB33-R	
Model		NLR	

ISZ-DB 12 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
78	30 - 20	M20x1.5 M18x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB36/ISZ-DB34-L	
Model		NLR	

ISZ-DB 12 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
78	30 - 20	M20x1.5 M18x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB36/ISZ-DB34-R	
Model		NLR	




DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

ISUZU


ISZ-DB 13 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 23	M22X1.5 M20x1.5	10.9
Org. No			
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB44/ISZ-DB42-L	
Model		NPR75 / NOVA	


ISZ-DB 13 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 23	M22X1.5 M20x1.5	10.9
Org. No			
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		ISZ-DB44/ISZ-DB42-R	
Model		NPR75 / NOVA	


ISZ-DB 14 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 23	M22X1.5 M20x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB44/ISZ-DB43-L	
Model		NOVA - NPR75	


ISZ-DB 14 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	30 - 23	M22X1.5 M20x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB44/ISZ-DB43-R	
Model		NOVA - NPR75	

ISZ-DB 15 L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	40 - 22	M22X1.5 M30x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB44/ISZ-DB43-L	
Model		NOVA - NPR75	

ISZ-DB 15 R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
100	40 - 22	M22X1.5 M30x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		ISZ-DB44/ISZ-DB43-R	
Model		NOVA - NPR75	

FW-42 101102



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
119	60	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		FAW	

CHR-42 4136



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
73	38	M20x1.5	10.9
Org. No			
Pozisyon/ Position		--	
Somun / Wheel Nut		SOM-42 0332	
Model			

CHR-42 4137



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
85	40	M20x1.5	10.9
Org. No			
Pozisyon/ Position		--	
Somun / Wheel Nut		SOM-42 0332	
Model			

HW-42 90126



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
90	39	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model		HOWO	

HW-42 90127



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
112	39	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		HOWO	





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

KOMATSU
KAMAZ
MAZ

KM-42 0515



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
65	38	M20x1.5	10.9
Org. No			
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0332	
Model		KOMATSU	

KM-42 0516



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
75	43	M20x1.5	10.9
Org. No			
Poziyon/ Position			
Somun / Wheel Nut		SOM-42 0332	
Model			

KM-42 0517



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
85	53	M22x1.5	10.9
Org. No			
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model		KAMAZ	

KM-42 0518



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
106	63	M22x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		KAMAZ	

MZ-42 60125



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
90	50	M22x1.5	10.9
Org. No			
Poziyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0141	
Model		MAZ-ÖN	

MZ-42 60126




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
105	50	M22x1.5	10.9
Org. No			
Poziyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		MAZ-ARKA	




DB-101




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
75	70	M14x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut			
Model		YILDIZ BAŞLI DİSK CİVATASI	

DB-102




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
60	20.75	M16x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut			
Model		DİSK DENGELEYİCİ VİDA	

DB-103




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
60	55	M16x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut			
Model		ANAHTAR BAŞLI DİSK CİVATASI	

DB-104



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
60	55	M14x1.5	10.9
Org. No		31796200	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut			
Model		ANAHTAR BAŞLI DİSK CİVATASI	

DB-105



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
75	18	M12x1.5	10.9
Org. No		3434366200	
Pozisyon/ Position			
Somun / Wheel Nut			
Model		DİSK CİVATASI / SAF	





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

**DONG
FENG
COBRA**


DNF-42 10101



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
89	49	M22x1.5	10.9
Org. No		31796200	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		DONG FENG ÖN	


DNF-42 10102



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
102	53	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model		DONG FENG ARKA UZUN	

CBR-42 85110



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
102	48	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			

CBR-42 85111



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

A(mm)	C (mm)	D (mm)	Kalite / Quality
92	43	M22x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0141	
Model			



OTK-42 80126



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
79.5	48	M18X1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0320	
Model		MAGIRUS	

OTK-42 80127




TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
73	51.5	M18X1.5	10.9
Org. No			
Pozisyon/ Position		Ön / Front	
Somun / Wheel Nut		SOM-42 0220	
Model			

OTK-42 80128



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
84	50	M18X1.5	10.9
Org. No		3714027071	
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0120	
Model		SULTAN	

OTK-42 80129



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
72	24.5-37	M18x1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0320	
Model		MAGIRUS	

OTK-42 80130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
A(mm)	C (mm)	D (mm)	Kalite / Quality
64	31.5	M18X1.5	10.9
Org. No			
Pozisyon/ Position		Arka / Rear	
Somun / Wheel Nut		SOM-42 0220	
Model			





DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

SOMUN

SOM-42 0115



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION			
ORG.			
AA	H	D	
19SW	20	M14x1.5	
MODEL			

SOM-42 0120



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.	025219.1810 / 81.45503.0029 /504356518	
AA	H	D
27SW	25	M18x1.5
MODEL	MAN 12-153, OTOKAR, DAILY,RENAULT	

SOM-42 0130



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.		
AA	H	D
27SW	26	M20x1.5
MODEL	ATEGO,12-153	

SOM-42 0131



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.	0252192010 / 504071276 / 81455030030	
AA	H	D
30SW	26	M20x1.5
MODEL	EUROBUS, RENAULT	

SOM-42 0139



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.	7421303956/21303956/ 5000788677	
AA	H	D
33SW	32	M22x1.5
MODEL	DÖNER PULLU SOMUN	

SOM-42 0140



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.	041036367 / 81.45503.0026/ 385 400 01 24 / 02.5219.22.10/ 4 247 3012 00/0620 652/21203099	
AA	H	D
32SW	27	M22x1.5
MODEL	DÖNER PULLU SOMUN	

SOM-42 0141



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.	02.5219.23.10 / 1826 088 / 8.241.999.726 / 21218643	
AA	H	D
32SW	32	M22x1.5
MODEL	DÖNER PULLU SOMUN	

SOM-42 0143



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.		
AA	H	D
32SW	36	M22x1.5
MODEL	FATİH PROF. D.PULLU SOMUN	

SOM-42 0144



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION		
ORG.	0004011372 / 041032670 / 02.5219.33.10 / 1263 487 / 81.45503.0057	
AA	H	D
32SW	39	M22x1.5
MODEL	ALUMINIUM RIM NUT	



SOM-42 0145



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	0252193410 / 1263488 / 0004011072 / 81455030055	
AA	H	D
32SW	62	M22x1.5
MODEL	ALUMINIUM RIM NUT	

SOM-42 0146



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	20552688	
AA	H	D
33SW	39	M22x1.5
MODEL	ALUMINIUM RIM NUT	

SOM-42 0150



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	32	M22x2
MODEL	DÖNER PULLU SOMUN	

SOM-42 0160



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	36	M24x1.5
MODEL	FATİH PROF. D.PULLU SOMUN	

SOM-42 0162



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
36SW	36	M24x2
MODEL	DÖNER PULLU SOMUN	

SOM-42 0169



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	0243955	
AA	H	D
33SW	27	7/8"-11BSF
MODEL	DÖNER PULLU SOMUN	

SOM-42 0170



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	32	7/8"-11BSF
MODEL	DÖNER PULLU SOMUN	

SOM-42 0171



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	39	7/8"-11BSF
MODEL	SCANIA ALUMINIUM RIM NUT	

SOM-42 0172



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	62	7/8"-11BSF
MODEL	SCANIA ALUMINIUM RIM NUT	



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

SOMUN

SOM-42 0179



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	1083894	
AA	H	D
33SW	34	7/8"-14UNF
MODEL	VOLVO WHEEL NUT	

SOM-42 0180



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
33SW	34	7/8"-14UNF
MODEL	VOLVO WHEEL NUT	

SOM-42 0181



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
33SW	39	7/8"-14UNF
MODEL	VOLVO FH ALUMINIUM RIM NUT	

SOM-42 0182



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
33SW	62	7/8"-14UNF
MODEL	VOLVO FH ALUMINIUM RIM NUT	

SOM-42 0211



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
28SW	29	3/4"-16UNF
MODEL	HİDROMEK,JCB	

SOM-42 0220



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
27SW	28	M18x1,5
MODEL	IVECO,50NC TAKVİYELİ SOMUN	

SOM-42 0230



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	0252141410	
AA	H	D
27SW	27	M20x1,5
MODEL	MERCEDES	

SOM-42 0240



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	32	M22x1,5
MODEL	KISA TAKVİYELİ SOMUN	

SOM-42 0241



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
30SW	32	M22x1,5
MODEL	KISA TAKVİYELİ SOMUN	



SOM-42 0242



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
32SW	40	M22x1,5	
MODEL	TAKVİYELİ SOMUN		

SOM-42 0250



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
32SW	40	M22x2	
MODEL	TAKVİYELİ SOMUN		

SOM-42 0270-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
32SW	32	7/8"-14UNF	
MODEL	TAKVİYELİ SOMUN		

SOM-42 0271-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
32SW	40	7/8"-14UNF	
MODEL	TAKVİYELİ SOMUN		

SOM-42 0320



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	074361018205 / 06112220213		
AA	H	D	
24sW	24	M18x1,5	
MODEL	MAGIRUS, MB800		

SOM-42 0321



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
27SW	24	M18x1,5	
MODEL	IVECO, 50NC		

SOM-42 0322



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	659115300 / 0265447 / 0009901450/		
AA	H	D	
27SW	26	M18x2	
MODEL	MAN İSPİT		

SOM-42 0330



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	074361020205 / 06112220215/ 001121798		
AA	H	D	
27SW	24	M20x1,5	
MODEL	MERCEDES		

SOM-42 0331-0332



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
30SW	27	M20x1,5	
MODEL	HİNO, KOMATSU		



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

SOMUN

SOM-42 0333



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	659115304 / 3464015072 / 0612220416	
AA	H	D
27SW	26	M20x2
MODEL	VOLVO İSPİT	

SOM-42 0334



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
30SW	26	M20x2
MODEL	VOLVO İSPİT	

SOM-42 0340



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	074361022203	
AA	H	D
27SW	26	M22x1,5
MODEL	MERCEDES	

SOM-42 0341



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	074361022205 / 06112220218	
AA	H	D
30SW	24	M22x1,5
MODEL	MAN,MERCEDES	

SOM-42 0342



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
30SW	27	M22x1,5
MODEL	MAN,MERCEDES	

SOM-42 0450



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.	0326004100	
AA	H	D
32SW	17	M22x1,5
MODEL	SAF	

SOM-42 0451



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	17	M22x2
MODEL	BPW	

SOM-42 0452



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	22	M22x2
MODEL	BPW	

SOM-42 0455



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
38SW	22	M22x2
MODEL	DAF	



SOM-42 0460



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
36SW	17	M22x1,5
MODEL	MARATON	

ISZ-DB02-R-L
ISZ-DB03-R-L

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
23SW	22	M14X1,5
MODEL	ISUZU NKR	

ISZ-DB04-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
35SW	22	M16X1,5
MODEL	ISUZU NKR55	

ISZ-DB11-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
36SW	17	M25X1,5
MODEL	ISUZU NPR	

ISZ-DB12-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
30SW	16	M18X1,5
MODEL	ISUZU NPR	

ISZ-DB15-R-L
ISZ AB21-R-L

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
41SW	25	M20X1,5
MODEL	ISUZU,MITSUBISHI	

ISZ-DB16-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
41SW	25	M25X1.5
MODEL	ISUZU ŞAMPİYON	

ISZ-DB17-R-L
ISZ-DB23-R-L

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	17	M22X1.5
MODEL	ISUZU	

IZZ-DB22-R-L
IZZ-DB43-R-L

TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
41SW	28	M30X1.5
MODEL	ISUZU,MITSUBISHI	



DRL BİJON® WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

SOMUN

ISZ-DB33-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
41SW	25	M18x1.5
MODEL	ISUZU NLR ÖN / FRONT	

ISZ-DB34-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
41SW	25	M27x1.5
MODEL	ISUZU NLR ARKA / REAR	

ISZ-DB35-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
19SW	61	M18X1.5 M27x1.5
MODEL	ISUZU NLR	

ISZ-DB38-R
ISZ-DB45-R



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
21SW	64	M20X1.5 M30x1,5
MODEL	ISUZU,MITSUBISHI	

ISZ-DB42-R-L
MIT-DB29-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
41SW	25	M20X1.5
MODEL	ISUZU,MITSUBISHI	

ISZ-DB4-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
32SW	17	M22X1.5
MODEL	ISUZU	

MIT-DB14-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
26SW	21	M16X1.5
MODEL	MITSUBISHI / 304 / 515	

MIT-DB19-R-L
MIT-DB44-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
20SW	55	M19X1.5 M28x1.5
MODEL	444-635-839-711 FUSO	

MIT-DB21-R-L
MIT-DB41-R-L



TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.		
AA	H	D
38SW	25	M19x1.5
MODEL	444-635-839-711 FUSO	


MIT-DB22-R-L
MIT-DB42-R-L


TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
38SW	25	M28x1.5	
MODEL	444-635-839-711 FUS0		

MIT-DB23
MIT-DB43


TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
27SW	19	3/4"-16UNF	
MODEL	MITSUBISHI		

MIT-DB27-R-L


TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
21SW	64	M20X1.5 M30x1.5	
MODEL	ISUZU,MITSUBISHI		

MIT-DB30-R-L


TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
41SW	28	M30X1.5	
MODEL	ISUZU,MITSUBISHI		

MIT-DB31


TEKNİK ÖZELLİKLER / TECHNICAL SPECIFICATION

ORG.			
AA	H	D	
27SW	19	3/4"-16UNF	
MODEL	MITSUBISHI		





DRL BİJON®
WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.



KING PIN KIT

8512 IVECO



KING PIN KIT

ISUZU NPR
ISUZU TURKUVAZ



KING PIN KIT

MB 800



KING PIN KIT

KIA CEREZ

KING PIN KIT



mitsubishi 449-659 | mitsubishi 304-449 | mitsubishi fuso | hyundai hd75





DRL BİJON®
WHEEL BOLT

Durallar Bijon Somun İml. San. ve Tic.

Horozluhan Mh. Ganimet Sk. No: 3
Selçuklu / KONYA
T: +90 332 249 24 97
F: +90 332 251 19 33
bilgi@drlbijon.com
www.drlbijon.com

